

CRITICAL TIME INTERVENTION: TRAIN THE TRAINER

*In affiliation with the Center for the Advancement of CTI,
Silberman School of Social Work, Hunter College, NYC*

Target Audience

This training is for persons who have been trained in the CTI model and who are interested in training others to deliver this evidence-based practice.

Learning Objectives

Participants in the training will:

- ◆ Develop advanced understanding of the principles and practices of CTI as applied to a variety of populations and transitions
- ◆ Learn how to deliver interactive training in CTI
- ◆ Gain access to adaptable training materials to support dissemination of CTI

To register:

<https://www.learndesk.us/live/5123262172364800/critical-time-intervention-train-the-trainer>

Information:

Email Carolyn Hanesworth at cjhanesworth@gmail.com

Live, online training

November 1st, 8th, and 15th, 2023 2:00-5:00 pm EST

Critical Time Intervention is an evidence-based intensive case management model that has been used to support vulnerable people as they undergo critical transitions: persons transitioning into housing after being homeless, people leaving psychiatric hospitals or prisons, and a variety of other adaptations. This training will equip persons trained in CTI to become trainers in the model. It is designed to promote high fidelity to this flexible model and to assist agencies in sustaining their ability to provide CTI. Participants who complete the training will receive certificates of completion from CACTI.

CACTI Trainers

Dr. Carolyn Hanesworth is a clinical social worker and researcher. Along with her colleagues at CACTI, Dr. Hanesworth directed a pilot study adapting Critical Time Intervention for Rapid Rehousing (RRH) across the state of Connecticut from 2016-2019.



Bebe Smith, MSW, LCSW is a clinical social worker, consultant and trainer. She led a pilot of CTI in North Carolina from 2012-2015, and is currently supporting implementation of CTI for the Lisbon Institute of Global Mental Health for people who are being discharged from psychiatric hospitals.

